



Toyota
Professional



PROACE



Models shown for illustrative purposes only.

A PARTNER FOR EVERY JOB

From capable load-lugger to versatile people carrier, the PROACE offers solutions you can trust to meet every job.



CONTENTS

4 Proace range
6 Proace load capacity
8 Proace comfort
10 Proace engines
12 Proace grades

14 Colours and Wheels
16 Trims and Range Availability
18 Proace specifications
22 Proace equipment
27 Proace Verso engines

28 Proace Verso grades
32 Proace Verso specifications
36 Proace Verso equipment
42 Toyota Professional
43 Peace of Mind

Proace LWB Panel van
Cargo volume: 6.1 m³*
Payload: 1360 kg



LENGTH



WIDE CHOICE EQUALS SMART SOLUTIONS

With three body lengths, the Proace gives you the choice to best fit your needs.

From small start-up to growing enterprise, whatever the size of your business, you'll find the Proace is designed to be every van you need. Thanks to a choice of three body lengths you can be confident the Proace has the solution for every job.

PANEL VAN



* LWB Automatic increases to 6.6m³ with Smart Cargo.
For Range Availability please refer to Page 17.


LOAD SPACE TO HANDLE EVERY DEMAND

Impressive capacity, practical access and three lengths mean the versatile Proace has enough space for the widest range of loads.

The Proace Compact is the perfect workhorse for tight jobs. Its unique small 4.6m body sets new standards, providing impressive cargo space for its class. With the Smart Cargo* load-through bulkhead opened, the Proace Long Wheel Base offers a surprising 4.02m, giving you unbeatable volume and payload capacity. Class-leading access is provided by a low-loading floor and wide-opening, sliding side doors and rear swing doors, while class-leading payload capacity and turning circle mean you can carry even more.


If your demands are even greater, then the extra capacity of Proace Medium and Long Wheel Base models will have them covered, with load capacities increasing to 5.3m³ and 6.1m³ (6.6m³[§]) respectively.

3 seats




Proace Compact

Cargo length: 2162 mm
Cargo height: 1397 mm
Cargo width: 1636 mm
Maximum payload: 1000 kg



Proace Medium Wheel Base (MWB)

Cargo length: 2512 mm
Cargo height: 1397 mm
Cargo width: 1636 mm
Maximum payload: 1000 kg



Proace Long Wheel Base (LWB)

Cargo length: 2862 mm[°]/4026 mm[§]
Cargo height: 1397 mm
Cargo width: 1636 mm
Maximum payload: 1360 kg

* Standard on LWB Automatic.

§ With Smart Cargo, standard on LWB Automatic.

° LWB Manual.





Models shown for illustrative purposes only.

WORK SMART, WORK COMFORTABLY

Comfortable interiors, intelligent mobile office solutions and practical loading features make the Proace a smart place in which to work.

A smooth and quiet drive, supportive seats and a compliant ride help you to soak up long distances at the wheel, while the Proace Compact's impressive front-seat configuration allows three people to sit together in comfort.

The innovative Smart Cargo feature* which combines Mobile Office, upright folding front seat and Smart Cargo load-through bulkhead, enhances the Proace's cabin with useful practicality.





The Proace's Smart Cargo* features a two-person front bench and Mobile Office solution to give you valuable flexibility when you need to carry passengers – and the convenience of a table when you don't.



Providing an additional load length of 116 cm, while still accommodating two people up front, the Proace's Smart Cargo* load-through bulkhead will certainly go to extra lengths for you.



Offering a further 0.5m³ of storage space, the Proace's Smart Cargo* upright folding front seat – a feature that's unique to Proace – lets you utilise valuable space in the cabin when you need to transfer that little bit extra.



The Proace's under-seat storage offers you and your passengers a convenient home for daily apparatus, stored neatly inside the front bench seat (storage capacity is reduced on LWB Automatic due to Smart Cargo*).

* Standard on LWB Automatic.

FUEL-SAVING POWER

Advanced diesel engines and smooth transmissions combine cost-saving fuel efficiency with great driveability.

With a complete line-up of advanced diesel engines and smooth transmissions, the Proace gives you power to match its load-lugging ability and fuel efficiency that you'll appreciate at the pumps. With two responsive diesel engines to choose from – 1.5 and 2.0 litre; three power outputs – from 100 hp to 180* hp; and two transmissions – 6-speed manual and 8-speed automatic[§], there's a powertrain for every professional.

By incorporating Stop & Start technology across the range, the Proace offers impressive fuel economy and CO₂ emissions from 173 g/km[¶].

* Available on Proace Verso 2.0 VIP LWB Auto only.

§ Available on Proace 2.0 LWB Van and Proace Verso 2.0 VIP only.

¶ WLTP combined cycle.





DIESEL

**1.5L
(100 hp)
6-Speed Manual**

Power

100 hp

Fuel consumption[§]

**6.6 l/100 km
(42.80 mpg)**

CO₂ emissions[§]

173 g/km/174 g/km[°]**

Available on

**GL Compact & MWB /
GX MWB**



DIESEL

**2.0L
(140 hp*)
6-Speed Manual**

Power

140 hp

Fuel consumption[§]

**7.5 l/100 km
(37.66 mpg)**

CO₂ emissions[§]

195 g/km

Available on

GX

DIESEL

**2.0L
(140 hp)
8-Speed Automatic***

Power

140 hp

Fuel consumption[§]

**7.5 l/100 km
(37.66 mpg)**

CO₂ emissions[§]

198 g/km

Available on

GX

** Compact.

[°] MWB.

* Available on LWB only.

[§] WLTP combined cycle.




PANEL VAN



Proace – Panel van GL

PANEL VAN OPTIONS 3 seats

Available in Compact, Medium and Long Wheel Base.



GL



MAIN FEATURES

- 16" steel wheels
- Power-adjustable door mirrors
- Two sliding side doors
- Panel bulkhead
- Black bumpers
- Black door mirrors
- Cruise control
- Manual Air-conditioning
- Dark grey fabric
- Height-adjustable driver's seat
- Front power windows
- Two roof reading-lamps
- Aux-in connector
- USB connector
- Bluetooth® hands-free system
- Digital Audio Broadcast (DAB)
- Anti-theft Alarm

Apple CarPlay is a trademark of Apple Inc.

* LWB Automatic.

GX



MAIN FEATURES (ADDITIONAL TO GL)

- Body-coloured front bumper
- Body-coloured, power, heated, retractable door mirrors
- Front fog lamps
- Rear parking sensors
- 7" Toyota Touch with Apple CarPlay/Android Auto™
- Rain sensor
- Dusk sensor
- Noise reduction layer on windshield
- Smart Cargo*
- Panel bulkhead with window and protective grille*

FINISH THE JOB IN STYLE



EWP Arctic White



NEU Grey^{*§}



KCA Silver^{*}



EVL Dark Grey^{*}



KTV Black^{*}



KHK Orange^{*§}



KCM Brown^{*§}

^{*} Metallic paint.

[§] Proace Verso only.



16" steel wheels
Standard on GL, GX



**16" steel wheels with wheel trims
(5-triple-spoke)**
Standard on Proace Verso Shuttle



**17" machine-faced alloy wheels
(5-double-spoke)**
Standard on Proace Verso VIP

FINISH THE JOB IN STYLE















Dark grey fabric
Standard on Proace GL
and GX Panel Van and
Proace Verso Shuttle



Black leather
Standard on Proace
Verso VIP

FIND THE VAN FOR YOU

PANEL VAN	COMPACT	MEDIUM	LONG
STANDARD GRADE			
REAR SWING OUT DOOR			
3 SEATS			
3 SEATS LOAD CAPACITY m ³ (Smart Cargo + 0.5m ³ *)			

* LWB Automatic only.

SPECIFICATIONS

Diesel

**1.5L (100hp)
GL Compact
GL MWB
GX MWB
6-Speed Manual**

Diesel

**2.0L (140hp)
GX LWB
6-Speed Manual**

Diesel

**2.0L (140hp)
GX LWB
8-Speed Automatic**

ENVIRONMENTAL PERFORMANCE

Carbon dioxide, CO₂ (WLTP)			
CO ₂ Combined (g/km)	173* / 174	195	298
CO ₂ Low (g/km)	192	216	234
CO ₂ Medium (g/km)	159* / 160	179	189
CO ₂ High (g/km)	150* / 151	169	171
CO ₂ Extra High (g/km)	195	220	213
Fuel consumption (WLTP)			
Fuel Combined (l/100 km)	6.6	7.5	7.5
Fuel Low (l/100 km)	7.3	8.2	8.9
Fuel Medium (l/100 km)	6.1	6.8	7.2
Fuel High (l/100 km)	5.7* / 5.8	6.4	6.5
Fuel Extra High (l/100 km)	7.4	8.4	8.1
Exhaust Emissions EC Regulations (Update)			
	2018/1832AQ	2018/1832AR	2018/1832AR
Euro class	EURO 6 AQ	EURO 6 AR	EURO 6 AR
Carbon monoxide, CO (mg/km)	74.3	78.1	27.7
Nitrogen Oxides, NO _x (mg/km)	65.1	51.3	18.7
Hydrocarbons, THC & Nitrogen Oxides, NO _x (mg/km)	69.4	53.7	20.2
Sound level drive by (dB(A))	68.0	71.0	69.0
Fuel tank capacity (l)	69	69	69

The fuel consumption, CO₂ and noise values are measured in a controlled environment on a basic production vehicle, in accordance with the requirements of European law published by the European Commission. For further information, or if you are interested in buying a basic production vehicle, please contact Toyota Ireland. The fuel consumption and CO₂ values of your vehicle may vary from those measured. Driving behaviour as well as other factors (such as road conditions, traffic, vehicle condition, installed equipment, load, number of passengers, ...) play a role in determining a vehicle's fuel consumption and CO₂ emissions.

* GL Compact.

	Diesel 1.5L (100hp) 6-Speed Manual	Diesel 2.0L (140hp) 6-Speed Manual	Diesel 2.0L (140hp) 8-Speed Automatic
ENGINE			
Number of cylinders	4 CYLINDER, IN LINE	4 CYLINDER, IN LINE	4 CYLINDER, IN LINE
Valve mechanism	16 Valve SOHC	16 valve DOHC, belt driven	16 valve DOHC, belt driven
Fuel system	Common rail diesel direct injection	Common rail diesel direct injection	Common rail diesel direct injection
Displacement (cc)	1499	1997	1997
Bore x stroke (mm x mm)	75 x 84.8	85 x 88	85 x 88
Compression ratio	16.5:1	16.7:1	16.7:1
Maximum power output (kW/rpm)	75/3500	106/3750	106/3750
Maximum output (bhp)	102	144	144
Maximum torque (Nm/rpm)	270/1600	340/2000-2500	340/2000-2500
TRANSMISSION	1.5L (100hp) 6-Speed Manual	2.0L (140hp) 6-Speed Manual	2.0L (140hp) 8-Speed Automatic
Transmission type	Manual	Manual	Automatic
PERFORMANCE	1.5L (100hp) 6-Speed Manual	2.0L (140hp) 6-Speed Manual	2.0L (140hp) 8-Speed Automatic
Maximum speed (km/h)	145	170	170
0-100 km/h (secs)	19.6	12.5	12.5
SUSPENSION	1.5L (100hp) 6-Speed Manual	2.0L (140hp) 6-Speed Manual	2.0L (140hp) 8-Speed Automatic
Front	Pseudo MacPherson with anti-roll bar	Pseudo MacPherson with anti-roll bar	Pseudo MacPherson with anti-roll bar
Rear	Oblique Wishbone Trailing Arms	Oblique Wishbone Trailing Arms	Oblique Wishbone Trailing Arms
BRAKES	1.5L (100hp) 6-Speed Manual	2.0L (140hp) 6-Speed Manual	2.0L (140hp) 8-Speed Automatic
Front	Ventilated Disc	Ventilated Disc	Ventilated Disc
Rear	Disc	Disc	Disc

SPECIFICATIONS

TYRES & WHEELS	Diesel	Diesel	Diesel
	1.5L (100hp) 6-Speed Manual	2.0L (140hp) 6-Speed Manual	2.0L (140hp) 8-Speed Automatic
Minimum fuel efficiency class	C	C	C
Minimum rolling noise level	72	72	72
Minimum wet grip class	A	A	A
Wheel size	215/65 R16C	215/65 R16C	215/65 R16C

WEIGHTS & TOWING CAPACITY	1.5L (100hp)	2.0L (140hp)	2.0L (140hp)
	6-Speed Manual	6-Speed Manual	8-Speed Automatic
Kerb weight (kg)	1541-1746*/1586-1803	1692-1923	1707-1930
Gross vehicle weight (kg)	2695	3100	3100
Towing capacity with brakes (kg)	1800	2500	2500
Towing capacity without brakes (kg)	750	750	750
Payload (kg)	1000	1360	1360

* GL Compact.

EXTERIOR DIMENSIONS	Compact Panel Van	MWB Panel Van	LWB Panel Van
	Exterior length (mm)	4609	4959
Exterior height (mm)	1910	1899	1940
Exterior width (mm)	1920	1920	1920
Wheelbase (mm)	2925	3275	3275
Front tread (mm)	1630	1630	1630
Rear tread (mm)	1618	1618	1618
Front overhang (mm)	881	881	881
Rear overhang (mm)	803	803	1153

STEERING

Compact Panel Van

MWB Panel Van

LWB Panel Van

Minimum Turning Radius (m)	5.65	6.2	6.2
----------------------------	------	-----	-----

WHEELS

GL

GX

16" steel wheels	●	●
Full spare wheel	●	●



1630 mm

1920 mm



881 mm

2925–3275 mm

803–1153 mm

4609–5309 mm



1899–1940 mm



1618 mm

1920 mm

● = Standard – = Not available

EQUIPMENT

EXTERIOR STYLING

	GL	GX
Silver insert on upper front grille	–	●
Silver surround on lower front grille	–	●
Silver surrounds on front fog lamps	–	●
Black front bumper	●	–
Body-coloured front bumper	–	●
Black rear bumper	●	–
Black & body-coloured rear bumper	–	●*
Body-coloured rear bumper	–	● [‡]
Black door mirrors	●	–
Body-coloured door mirrors	–	●
Black door handles	●	–
Body-coloured door handles	–	●
Short antenna	●	●

* GX LWB. ‡ GX MWB.

INTERIOR COMFORT

	GL	GX
Manual air conditioning	●	●
Analogue speedometer	●	●
Additional digital speedometer in information display	●	●
Analogue tachometer	●	●
Manual day/night rear-view mirror	–	●
Driver armrest	●	●
2-seater front passenger bench	●	●
Height-adjustable driver seat	●	●
Adjustable lumbar support on driver seat	●	●
Front power windows	●	●

INTERIOR COMFORT**GL****GX**

One touch auto up & down function on all power windows	●	●
Power-retractable, heated door mirrors	–	●
Noise reduction layer on windshield	–	●
Front room lamp (bulb)	●	●
Driver & front passenger personal lamps (bulb)	●	●
Cargo area room lamp (2)	●	●
Front 12V power outlet (2)	●	●
Cargo area 12V power outlet	●	●
Power door lock	●	●
White basic LCD information display	●	–
White LCD information display	–	●
Cruise Control switch on steering wheel	●	●

STORAGE**GL****GX**

Front passenger under-bench storage	●	●*
Open upper dashboard storage compartment	●	●
Cooler in upper glovebox	●	●
Glovebox lamp	●	●
Front door pockets	●	●
Front cup holders	●	●
Smart Cargo	–	● [§]
Plastic floor trim in driver cabin	●	●

* Compact, MWB & LWB Manual.

§ LWB Automatic.

● = Standard

– = Not available

EQUIPMENT

MULTIMEDIA

	GL	GX
Radio player	●	–
7" Toyota Touch with Apple CarPlay & Android Auto	–	●
4 speakers	●	●
USB connector	●	●
Bluetooth® mobile phone connection	●	●
Digital Audio Broadcast (DAB)	●	●

SAFETY

	GL	GX
Supplemental Restraint System (SRS) airbags - 2 airbags	●	●
Front passenger airbag on/off-switch	●	●
Panel bulkhead	●	●*
Panel bulkhead with window and protective grille	–	● ^s
Rear parking sensors	–	●
Multi-reflector halogen headlamps	●	●
Front fog lamps	–	●
Daytime running lights (bulb)	●	●
Cruise Control	●	●
Anti-lock Braking System (ABS) with Electronic Brake force Distribution (EBD)	●	●

SAFETY	GL	GX
Brake Assist (BA)	●	●
High-mounted stop lamp (LED)	●	●
Rear combination lamps (bulb)	●	●
Adjustable Speed Limiter (ASL)	●	●
Vehicle Stability Control (VSC)	●	●
Hill-start Assist Control (HAC)	●	●
Intrusion alarm	●	●
Motion sensor alarm	●	●
Anti-tamper alarm	●	●
Glass-breaking alarm sensors	●	●

* Compact, MWB & LWB Manual. § LWB Automatic.

PERFORMANCE, TRANSPORT & PROTECTION	GL	GX
Stop & Start System	●	●
Black protection moulding on side doors	●	–
Body-coloured protection moulding on side doors	–	●
Extra payload	–	●*

* LWB.



PROACE VERSO



DIESEL

**2.0L
(144 bhp)
6-Speed Manual**

Power

144 bhp

Fuel consumption*

**7.1[§] / 7.2[°] l/100 km
(39.79[§] / 39.23[°] mpg)**

CO₂ emissions*

185[§] / 188[°] g/km

Acceleration

**10.3 seconds
(0–100 km/h)**

Available on

Proace Verso Shuttle MWB & LWB

DIESEL

**2.0L
(180 bhp)
8-Speed Automatic**

Power

180 bhp

Fuel consumption*

**7.2 l/100 km
(39.23 mpg)**

CO₂ emissions*

190 g/km

Acceleration

**8.8 seconds
(0–100 km/h)**

Available on

Proace Verso VIP

* Combined cycle.

[§] Proace Verso Shuttle MWB.

[°] Proace Verso Shuttle LWB.

PROACE VERSO SHUTTLE


MAIN FEATURES

- 16" steel wheels with wheel trims (5-triple-spoke)
- Front fog lamps
- Multi-reflector Halogen headlamps
- Dusk sensor
- Rain sensor
- Rear parking sensors with Visio Park
- 7" Toyota Touch with Apple CarPlay/Android Auto™ and Digital Audio Broadcast (DAB)
- Dark grey fabric
- Height adjustable driver's seat
- Adjustable lumbar support on driver's seat
- Front passenger under-bench storage
- Manual air conditioning
- Electrochromatic rear-view mirror
- Noise reduction layer on windscreen
- Tinted rear side & rear door glass (70%)



SEATING CAPACITY

Available in Medium and Long Wheel Base.



Up to 9 seats



PROACE VERSO VIP


MAIN FEATURES

- 17" machine-faced alloy wheels (5-double-spoke)
- Rear Tailgate
- Rear parking sensors
- Smart Entry & Start system
- 6 Seats
- Black leather
- Heated Driver & front passenger seats
- Power-sliding & reclining driver & front passenger seat
- Adjustable lumbar support on driver & front passenger seat
- Massage function on driver & front passenger seat
- Multi-reflector Halogen headlamps
- Headlamp cleaners
- Front fog lamps
- Climate control
- Rear passenger air-conditioning
- 7" multimedia display
- Premium surround sound system
- 9 Speakers



SEATING CAPACITY

Available in Long Wheel Base.



Up to 6 seats

- Coloured TFT multi-information display
- Electrochromatic rear-view mirror (auto-dimming)
- Dusk sensor
- Rain sensor
- Electronic Parking Brake
- Power-retractable door mirrors
- Fold-up tables
- Tinted rear side & rear door glass (90%)





Image shown for illustrative purposes only.

SPECIFICATIONS

Diesel

2.0L (144 bhp)
Diesel 6-Speed Manual
Shuttle 9 Seats
MWB & LWB

Diesel

2.0L (180 bhp)
Diesel 8-Speed Automatic
VIP 6 Seats
LWB

ENVIRONMENTAL PERFORMANCE

Fuel consumption (WLTP)		
Fuel Combined (litres/100 km)	7.1* / 7.2 [§]	7.2
Fuel Low (litres/100 km)	7.0* / 7.1 [§]	8.3
Fuel Medium (litres/100 km)	6.5* / 6.6 [§]	7.1
Fuel High	6.2* / 6.3 [§]	6.3
Fuel Extra High	8.2* / 8.3 [§]	7.8
Carbon dioxide, CO₂ (WLTP)		
CO ₂ Combined (g/km)	185* / 188 [§]	190
CO ₂ Low (g/km)	185* / 187 [§]	217
CO ₂ Medium (g/km)	170* / 172 [§]	186
CO ₂ High	162* / 164 [§]	166
CO ₂ Extra High	215* / 217 [§]	203
Exhaust Emissions (Regulation EC 715/2007)		
	2018/1832 AP	2018/1832 AP
Euro class	EURO 6 AP	EURO 6 AP
Carbon Monoxide, CO (mg/km)	54.6	43.7
Nitrogen Oxides, NOx (mg/km)	39.3	24
Hydrocarbons, THC & Nitrogen Oxides, NOx (mg/km)	42	26.8
Sound level drive by (dB(A))	71	70.0

The fuel consumption, CO₂ and noise values are measured in a controlled environment on a basic production vehicle, in accordance with the requirements of European law published by the European Commission. For further information, or if you are interested in buying a basic production vehicle, please contact Toyota Ireland. The fuel consumption and CO₂ values of your vehicle may vary from those measured. Driving behaviour as well as other factors (such as road conditions, traffic, vehicle condition, installed equipment, load, number of passengers, ...) play a role in determining a vehicle's fuel consumption and CO₂ emissions.

* Proace Verso Shuttle MWB.

§ Proace Verso Shuttle LWB.

Diesel

**2.0L (144 bhp)
Diesel 6-Speed Manual
Shuttle 9 Seats
MWB & LWB**

Diesel

**2.0L (180 bhp)
Diesel 8-Speed Automatic
VIP 6 Seats
LWB**

ENGINE

Number of cylinders	4, in line	4, in line
Valve mechanism	16-valve DOHC, belt driven	16-valve DOHC, belt driven
Displacement (cc)	1997	1997
Bore x stroke (mm x mm)	85 x 88	85 x 88
Compression ratio	16.7:1	16.7:1
Maximum torque (Nm/rpm)	340/2000–2500	400/2000–2500
Maximum power output (kW/rpm)	106/3750	130/3750

TRANSMISSION

**2.0L (144 bhp)
Diesel 6-Speed Manual
Shuttle 9 Seats
MWB & LWB**

**2.0L (180 bhp)
Diesel 8-Speed Automatic
VIP 6 Seats
LWB**

Type	Manual	Automatic
Number of speeds	6	8

PERFORMANCE

**2.0L (144 bhp)
Diesel 6-Speed Manual
Shuttle 9 Seats
MWB & LWB**

**2.0L (180 bhp)
Diesel 8-Speed Automatic
VIP 6 Seats
LWB**

Maximum speed (km/h)	185	185
0–100 km/h (secs)	10.3	8.8

SPECIFICATIONS

Diesel

**2.0L (144 bhp)
Diesel 6-Speed Manual
Shuttle 9 Seats
MWB & LWB**

Diesel

**2.0L (180 bhp)
Diesel 8-Speed Automatic
VIP 6 Seats
LWB**

SUSPENSION

Front	Pseudo MacPherson with anti-roll bar	Pseudo MacPherson with anti-roll bar
Rear	Oblique wishbone trailing arms	Oblique wishbone trailing arms

LOAD CAPACITY

**2.0L (144 bhp)
Diesel 6-Speed Manual
Shuttle 9 Seats
MWB & LWB**

**2.0L (180 bhp)
Diesel 8-Speed Automatic
VIP 6 Seats
LWB**

Luggage capacity, up to roof (l)	700* / 1300	1300
----------------------------------	-------------	------

DIMENSIONS & WEIGHTS

Proace Verso Shuttle MWB

Proace Verso Shuttle LWB

Proace Verso VIP (LWB)

	Proace Verso Shuttle MWB	Proace Verso Shuttle LWB	Proace Verso VIP (LWB)
Exterior length (mm)	4959	5309	5309
Exterior height (mm)	1899	1899	1899
Exterior width (mm)	1920	1920	1920
Front tread (mm)	1630	1630	1630
Rear tread (mm)	1618	1618	1618
Kerb weight (kg) [§]	1733–2122	1763–2154	1994–2206
Gross vehicle weight (kg) [§]	2810	2850	2760
Towing capacity with brakes (kg) [§]	1900	1900	1900
Towing capacity without brakes (kg)	750	750	750

WHEELS

**Proace Verso Shuttle
MWB & LWB**


**Proace Verso VIP
LWB**

16" steel wheels with wheel trims (5-triple-spoke)	●	–
17" machine-faced alloy wheels (5-double-spoke)	–	●
Full spare wheel	●	●

* Proace Verso Shuttle MWB.

§ Varies based on engine.

° VIP LWB.



● = Standard – = Not available

EQUIPMENT

EXTERIOR STYLING

	Proace Verso Shuttle MWB & LWB	Proace Verso VIP LWB
Silver insert on upper front grille	●	●
Silver surround on lower front grille	●	●
Silver surrounds on front fog lamps	●	●
Body-coloured front bumper	●	●
Black & body-coloured rear bumper	●*	●
Body-coloured rear bumper	● ⁵	—
Body-coloured door mirrors	●	●
Body-coloured door handles	●	●
Chrome decoration on door handles	—	●
Midnight-tinted (70%) privacy glass on rear passenger windows	●	—
Limo-tinted (90%) privacy glass on rear passenger windows	—	●
Short antenna	●	●

EXTERIOR COMFORT

	Proace Verso Shuttle MWB & LWB	Proace Verso VIP LWB
Headlight cut-off reminder	●	●
Dusk sensor	●	●
Rain sensor	●	●
Power-adjustable door mirrors	●	●
Heated door mirrors	●	●
Power-retractable door mirrors	●	●
Remote door lock	●	●
Smart Entry & Start System	—	●
Two sliding side doors	●	●
Electric sliding door(s)	—	●
Kick-activated side-door opening	—	●
Two fixed side windows	—	●

EXTERIOR COMFORT	Proace Verso Shuttle MWB & LWB	Proace Verso VIP LWB
Two sliding side windows	●	–
Rear tailgate	●	●
Opening window on rear tailgate	–	●

INTERIOR COMFORT	Proace Verso Shuttle MWB & LWB	Proace Verso VIP LWB
Push-button start	–	●
Analogue speedometer	●	●
Additional digital speedometer in multi-information display	●	●
Analogue tachometer	●	●
Electrochromatic rear-view mirror	●	●
Manual air conditioning	●	–
Climate control	–	●
Rear passenger air conditioning	–	●
Rear passenger air vents	–	●
Driver's seat armrest	–	●
Front passenger seat armrest	–	●
Individual front passenger seat	–	●
2-seater front passenger bench	●	–
Power-sliding driver's seat	–	●
Power-sliding front passenger seat	–	●
Power-reclining driver's seat	–	●
Power-reclining front passenger seat	–	●
Height-adjustable driver's seat	●	●
Height-adjustable front passenger seat	–	●
Adjustable lumbar support on driver's seat	●	●

* Proace Verso Shuttle LWB. § Not available on Proace Verso Shuttle LWB.

● = Standard – = Not available

EQUIPMENT

Proace Verso Shuttle MWB & LWB

Proace Verso VIP LWB

INTERIOR COMFORT

INTERIOR COMFORT	Proace Verso Shuttle MWB & LWB	Proace Verso VIP LWB
Adjustable lumbar support on front passenger seat	–	●
Heated driver's & front passenger seats	–	●
Massage function on front seats	–	●
2nd row 3-seat rear bench	●	–
2nd row captain seats (2)	–	●
2nd row removable rail seats/bench	–	●
Sliding 2nd row rear seats	–	●
Reclining 2nd row rear seats	–	●
Forward tilting 2nd row rear seats	●	–
Upright folding 2nd row rear seats	●	–
Individually folding 2nd row rear seats	–	●
1/3 : 2/3 split-folding 2nd row rear seats	●	–
3rd row 3-seat rear bench	●	–
3rd row captain seats (2)	–	●
3rd row removable rail seats	–	●
Sliding 3rd row rear seats	–	●
Reclining 3rd row rear seats	–	●
Upright folding 3rd row rear seats	●	–
Individually folding 3rd row rear seats	–	●
1/3 : 2/3 split-folding 3rd row rear seats	●	–
Front power windows	●	●
Auto up & down function on all power windows	●	●
Noise reduction layer on windshield	●	●
Thermal insulated windshield glass	–	●
2nd row rear passenger window manual sunshades	–	●

INTERIOR COMFORT	Proace Verso Shuttle MWB & LWB	Proace Verso VIP LWB
Rear window wiper	●	●
Rear window defogger	●	●
Front room lamp (bulb type)	●	–
Front room lamp (LED type)	–	●
Driver's & front passenger personal lamps (bulb type)	●	–
Driver's & front passenger personal lamps (LED type)	–	●
2nd row rear passenger room lamp (bulb type)	●	–
2nd row rear passenger room lamp (LED type)	–	●
2nd row rear passenger personal lamps (bulb type)	●	–
2nd row rear passenger personal lamps (LED type)	–	●
3rd row rear passenger room lamp (bulb type)	●	–
3rd row rear passenger room lamp (LED type)	–	●
3rd row rear passenger personal lamps (bulb type)	●	–
3rd row rear passenger personal lamps (LED type)	–	●
Boot lamp	●	–
Portable boot lamp	–	●
Front 12V power outlet (2)	●	●
2nd row rear passenger 12V power outlet	–	●
3rd row rear passenger 12V power outlet	●	●
Power door locks	●	●
Power child safety door locks	●	●
White LCD multi-information display	●	–
Coloured TFT multi-information display	–	●
Cruise Control switch on steering wheel	●	●
Electronic Parking Brake	–	●

● = Standard – = Not available

EQUIPMENT

STORAGE

	Proace Verso Shuttle MWB & LWB	Proace Verso VIP LWB
Front passenger under-bench storage	●	–
Open upper dashboard storage compartment	●	–
Closed upper dashboard storage compartment	–	●
Glovebox lamp	●	●
Cooler in upper glovebox	●	●
Front door pockets	●	●
Front cup holders	●	●
Plastic floor trim	●	–
Fold-up tables	–	●
Carpet floor trim	–	●
Rear passenger lounge table on rails	–	●
Luggage holding net	–	●

MULTIMEDIA

	Proace Verso Shuttle MWB & LWB	Proace Verso VIP LWB
Radio player	●	●
Pro-Touch multimedia system	–	●
7" multimedia display	●	●
Apple CarPlay/Android Auto™	●	●
8 speakers	●	–
9 speakers	–	●
Premium surround sound system	–	●
Aux-in connector	●	●
USB connector	●	●
Bluetooth® hands-free system	●	●
Wi-Fi connectivity	–	●

SAFETY	Proace Verso Shuttle MWB & LWB	Proace Verso VIP LWB
5-Star Euro NCAP safety rating (2015)	●	●
Multi-reflector halogen headlamps	●	●
Headlamp cleaners	–	●
Front fog lamps	●	●
Daytime running lights (bulb type)	●	●
Adjustable Speed Limiter (ASL)	●	●
Memory on speed limiter	–	●
Cruise Control	●	●
Anti-lock Braking System (ABS) with Electronic Brake force Distribution (EBD)	●	●
Brake Assist (BA)	●	●
High-mounted stop lamp (LED type)	●	●
Rear combination lamps (bulb type)	●	●
Vehicle Stability Control (VSC)	●	●
Hill-start Assist Control (HAC)	●	●
Tyre Pressure Warning System (TPWS)	●	●
Front & rear parking sensors with Visio Park	–	●
Rear parking sensors with Visio Park light	●	–
Supplemental Restraint System (SRS) airbags – 6 airbags	●	●
Front passenger airbag on/off switch	●	●
ISOFIX seat fixing	●	●

PERFORMANCE, TRANSPORT & PROTECTION	Proace Verso Shuttle MWB & LWB	Proace Verso VIP LWB
Stop & Start System	●	●
Fuel burner heater	–	●
Body-coloured protection moulding on side doors	●	●

● = Standard – = Not available

TOYOTA PROFESSIONAL. YOUR BUSINESS PARTNER

Toyota know that business is never just business, which is why we have created a range of commercial vehicles you can trust. Choose from the compact Proace City, Proace, Land Cruiser or the legendary Hilux and put your business in safe hands. Our dedicated Toyota Professional dealers are on hand to keep you moving. With highly trained technicians and a comprehensive range of services built around you, Toyota Professional offers you the back-up you need for total peace of mind.



CVRT TEST ARRANGED

We can arrange for your CVRT Test to be completed when your van is booked in for Service to minimise your time off the road.




WHILE YOU WAIT SERVICE

Where possible we will provide you with a While You Wait appointment, which will be completed within 3 hours to get you back on the road quickly.



PRIORITY SERVICE BOOKING WITHIN 48 HOURS

We will guarantee you an appointment within 48 hours to enable you to plan your servicing around your business needs.



TOYOTA ROADSIDE ASSISTANCE

Toyota Roadside Assistance offers peace of mind motoring 24 hours a day, every day of the year, by providing practical assistance and expert advice in the event of a breakdown or accident. This peace of mind is available for 3 years from date of registration.

YOUR COMPLETE PEACE OF MIND WITH TOYOTA



EXTENDED OPENING HOURS

We understand that you are busy, that's why we have flexible booking times available at our Service Departments to suit your schedule. We will endeavour to facilitate early drop-off times, late appointments and collections by arrangement.



REPLACEMENT VAN TO ENSURE THAT YOU CAN KEEP WORKING

When your van is in for Service we will provide a replacement van. Subject to availability, Terms and Conditions apply. Please speak to your Toyota dealer about this when booking your Service.

QUALITY SERVICE

Your Toyota will need a Health & Safety Service at least once every 2 years/50,000 km (2.0 litre) or 2 years/40,000 km (1.5 litre) (whichever comes sooner), or when the maintenance indicator activates*.

LOW MAINTENANCE COSTS

All Toyota vehicles are designed and engineered to minimise your maintenance costs.

GENUINE PARTS

Providing the reassurance of Toyota quality, only genuine and approved components are used on your vehicle.

COMPREHENSIVE WARRANTY

Every new Toyota comes with a 3-year/100,000 km vehicle warranty[§], which covers any defect caused by a manufacturing or assembly fault under normal use[°].

ADDED SECURITY

Toyota's comprehensive security system withstands the insurance industry's rigorous 5-minute attack test.

TOYOTA EUROCARE

Enjoy peace of mind driving with complimentary Toyota Eurocare roadside assistance in 40 European countries for 3 years.

GENUINE ACCESSORIES

Toyota accessories are designed and manufactured with the same care, quality and attention to detail as Toyota vehicles. All accessories are covered by a 3-year warranty when purchased together with the vehicle**.

For more information on peace of mind visit: www.toyota.ie

* Check with your local Toyota dealer for specific Service Schedules, as models vary. [§] Check with your Toyota dealer for specific warranty details. [°] 3-year/unlimited mileage paint warranty protection against defects & surface rust caused by a manufacturing fault. Every new Toyota is covered by a 6-year anti-corrosion warranty against perforation of body panels caused by a manufacturing fault in materials or workmanship. ** Check with your Toyota dealer for specific warranty details.



Toyota
Professional

PROACE.
A PARTNER FOR EVERY JOB.
www.toyota.ie

To the best of our knowledge, all information in this brochure is correct at time of going to print. Details of specifications and equipment provided in this brochure are subject to local conditions and requirements and may, therefore, vary from models available in your area. Please enquire with your local dealer for details on your local specifications and equipment. • Vehicle body colours may differ slightly from the printed photographs in this brochure. • Toyota Ireland reserves the right to alter any details of specifications and equipment without prior notice. • © 2022 by Toyota Ireland. • No part of this publication may in any way be reproduced without the prior written approval of Toyota Ireland.